B. Claims

The following is a complete listing of the claims and replaces all earlier listings of claims in the present application.

- (Currently Amended) A tablet for oral administration that disintegrates quickly in the oral cavity in less than 30 seconds, comprising:
 - i) spray-dried mannitol in a proportion of at least 59.5%;
- ii) active ingredient in a proportion below or equal to 10%, as a fine powder in which at least 90% in weight of the active ingredient has a particle size less than 100 $\mu m;$
- iii) microcrystalline cellulose in a proportion from 10 to 18%, with an average particle size of approximately 50 μ m where at least 99% in weight of microcrystalline cellulose has a particle size below 250 μ m;
 - iv) sodium croscarmellose in a proportion from 1 to 4%; and
 - a lubricant agent in a proportion from 0.5 to 2% in weight,
- where, unless specified otherwise, the percentages are expressed in <u>percent</u> weight of the total weight of the tablet, wherein said tablet has a friability below 0.5%.

2. (Cancelled)

- (Currently Amended) The tablet for oral administration according to <u>claim 1</u>, <u>wherein elaim 2</u>, <u>characterised in that</u> it has a friability below 0.2% according to <u>Ph. Eur. 2.9.7</u>.
- (Currently Amended) The tablet for oral administration according to claim 1, eharacterised in that wherein it has an apparent density from 1.1 to 1.3 g/ml.

- 5. (Withdrawn Currently Amended) Tablet for oral administration according to claim 1, eharacterised in that wherein it has a flavouring agent in a proportion from 0.5 to 2% in weight of the total weight of the tablet.
- (Withdrawn Currently Amended) Tablet for oral administration according to claim 5, eharacterised in that wherein it has an artificial sweetener in a proportion from 0.5 to 2% in weight of the total weight of the tablet.
- (Withdrawn Currently Amended) Tablet for oral administration according to claim 1, eharacterised in that wherein it has a humidity adsorbing agent in a proportion from 0.1 to 0.5% in weight of the total weight of the tablet.
- (Withdrawn Currently Amended) Tablet for oral administration according to claim 1, eharacterised in that wherein it has an anti-adherent agent in a proportion from 0.5 to 2% in weight of the total weight of the tablet.
- (Currently Amended) The tablet for oral administration according to claim 1, characterised in that the wherein a proportion of insoluble elements is below 20% in weight of the total weight of the tablet.
- 10. (Withdrawn Currently Amended) Tablet for oral administration according to any of previous claims, characterised in that it has a round shape, flat, bevelled with claim1, wherein said tablet has a round shape and is flat and bevelled, said tablet having a thickness from 1.8 to 2.2 mm.

- 11. (Withdrawn Currently Amended) Tablet for oral administration according to claim 10, eharacterised in that wherein it disintegrates quickly in the oral cavity in less than 20 seconds.
- 12. (Withdrawn Currently Amended) Process for obtaining a tablet for oral administration as defined in any of claims 1 to 11, characterised in that it comprises comprising the following steps:
- Sieving sieving and mixing the components except for the lubricant agent;
 - ii) Sieving sieving the lubricant agent;
 - iii) Mixing mixing of all the components; and
 - iv) Direct compression of directly compressing the final mixture.
- (Withdrawn Currently Amended) Process for obtaining a tablet according to claim 12, eharacterised in that wherein said final mixture has a flowability below or equal to 10 seconds according to Ph. Eur. 2.9.16.
- 14. (Withdrawn Currently Amended) Process for obtaining a tablet according to claim 12, eharacterised in that wherein said final mixture has an ability to settle below or equal to 20 ml according to Ph. Eur. 2.9.15.